



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:


Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***





PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU 90

CASE NO. 627P

TYPE OF ACCIDENT Car/Ped/Crossing road - straight

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)


Vehicle #1 was traveling southbound in the first lane on a roadway and the pedestrian was running across the road from east to west. The vehicle struck the pedestrian with the front end and the pedestrian went onto the hood and struck the windshield before being knocked about 15 meters to final rest. The vehicle came to rest about 5 meters prior to the final rest of the pedestrian.

	B. PEDESTRIAN PROFILE									
Pedestrian			Treatment/ (TO BE COMPLETED BY ZONE CENTER)							
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source			
01	16	Male	Treated and released	Brain	+LOC	2	Windshield			

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity


	C. VEHICLE PROFILE								
	Class		Most Severe Damage Based on Vehicle Inspection						
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description					
01	Full Size	1990 Lincoln Town Car	Front	Small dent, scratches and smudges					

DO NOT SANITIZE THIS FORM



HS Form 431B (1/96)

Scale: 1 centimeter = ___ meters



U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number	_	Case	Number-Stratum 6 27 P				
PEDESTRIAN ACCIDENT CO	LLISION DATA	COLLECTION , A	SCALED DIAGRAM				
 document reference point and reference line relative to physical features 	Surface Type	BIT/ Asphalt	north arrow placed on diagram				
documentation of all accident induced physical evidence including (if applicable):	Surface Condition	on <u>DRY</u>	grade measurements for all applicable roadways				
a) vehicle skid marks	Coefficient of Fr	riction	scaled representations of the physical plant including:				
b) pedestrian contacts with ground or object	Grade (v/h) Mea	asurement —	all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)				
c) vehicle/pedestrian point of impact. (POI)	a) at impa	act	b) all traffic controls (e.g., lights, signs)				
d) location of pedestrian separation point from vehicle	b) between	en impact and	scaled representations of the vehicle and pedestrian at pre-impact, impact, and final rest based upon either:				
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Trav	rel Direction	a) physical evidence, or				
documentation of the physical plant including:	Vehicle Travel C	Direction	b) reconstructed accident dynamics				
 all road/roadway delineation (e.g., crosswalks, curb/edge-lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.) 	Number of Trave	et Lanes <u>3</u>					
b) all traffic controls (e.g.; lights; signs)							
Reference Point: UTILITY Pale West Curb Reference Line: West Curb							
or con our							
Item		Distance and Direction from Reference Point					
			from Reference Line				
Item			from Reference Line				
DRGIN Ped #1 7.0.I. Veh,#1 4.0.I			from Reference Line				
DRGIN Fed #1 T.O.I.		from Reference Point 0, 0 26./m N	from Reference Line 1.3 m W 2.2 m E				
DRGIN Ped #1 7.0.I. Veh,#1 4.0.I		from Reference Point O, O 26.1m N 26.1m N	from Reference Line 1.3 m W 2.2 m E 2.2 m E				
DRGIN Ped #1 P.O.I. Veh,#1 P.O.I Ped #1 R-Shoe		from Reference Point 0,0 26.1m N 26.1m N 11.0m N	from Reference Line 1.3 m W 2.2 m E 2.2 m E 2.0 m E				
DRGIN Ped #1 P.O.I. Veh, #1 P.O.I Ped #1 R- Shoe Ped #1 F.R.P.	TR-Tin	from Reference Point 0,0 26.1m N 26.1m N 11.0m N 10,7 m N 20,7 m N	from Reference Line 1.3 m W 2.2 m E 2.2 m E 2.0 m E 0.0 m E				
DRGIN Ped #1 P.O.I. Veh, #1 P.O.I Ped #1 R- shoe Ped #1 F.R.P. Veh, #1 F.R.P. Veh, #1 F.R.P. Veh, #1 (BACK R- drive way (WestCurb)	Tire) begia	from Reference Point 0,0 26.1m N 26.1m N 11.0m N 10,7 m N 20,5 m N 20,5 m N	from Reference Line 1.3 m W 2.2 m E 2.2 m E 2.0 m E 0.0 m E 0.5 m E 0.5 m E 0.0 m W				
DRGIN Ped #1 P.O.I. Veh, #1 P.O.I Ped #1 R- shoe Ped #1 F.R.P. Veh, #1 F.R.P. Veh, #1 F.R.P. Veh, #1 (BACK R-	Tire) begia	from Reference Point 0,0 26.1m N 26.1m N 11.0m N 10,7 m N 20,5 m N 20,5 m N	from Reference Line 1.3 m W 2.2 m E 2.2 m E 2.0 m E 0.0 m E 0.5 m E 0.5 m E 0.0 m W				
DRGIN Ped #1 P.O.I. Veh, #1 P.O.I Ped #1 R- shoe Ped #1 F.R.P. Veh, #1 F.R.P. Veh, #1 F.R.P. Veh, #1 (BACK R- drive way (WestCurb)	Tire) begin Ids	from Reference Point 0,0 26.1m N 26.1m N 11.0m N 10.7m N 20.5m N 20.5m N 34.2m N	from Reference Line 1.3 m W 2.2 m E 2.2 m E 2.0 m E 0.0 m E 0.5 m E 0.5 m E 0.0 m W				

Item	Distance and Direction from Reference Point	Distance and Direction from Reference Line
		·
	43 - 100 - 10	
· · · · · · · · · · · · · · · · · · ·		
·		

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

Administration		PEDESTRIAN CRASH DATA	STUD
Primary Sampling Unit Number	90	SPECIAL STUDIES - INDICATORS	
Case Number - Stratum	621P	Check (🗸) each special study (SS15-SS19 below) has been completed; code 1 for the checked special studies and 0 for the appeals of tudies and the checked special studies are checked special studies and the checked special studies are checked special studies and the checked special studies are checked special studies and the checked special studies are checked special spe	
IDENTIFICATION	N	studies and 0 for the special studies not checked.	
Number of General Vehicle		6SS15 Administrative Use	0
Forms Submitted	0 1	7SS16 Pedestrian Crash Data Study	_1
4. Date of Accident (Month,Day,Year)	· 7	8SS17 Impact Fires	0
5. Time of Accident	625	9SS18	_0
Code reported military time of a NOTE: Midnight = 2400 Unknown = 9999	accident.	10SS19	_0_
J		NUMBER OF EVENTS	
		11. Number of Recorded Events in This Accident0	_1_
	DEDESTRIANS	TUDY CRITERIA	

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may <u>not</u> be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS									
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage			
12. <u>0</u> <u>1</u>	13. <u>0 1</u>	14.	/) 15. <u>F</u>	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>			

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

National Highway Traffic Safety Administration

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number 2. Case Number - Stratum 3. Pedestrian Number 9 0 6 27 P 0 1	10. Pedestrian's Weight Code actual weight to the nearest kilogram. (999) Unknown 320 pounds x .4536 = 145 kilograms
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify): (9) Unknown
5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown 6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising (8) Other (specify): (9) Unknown
69 inches X 2.54 = 174 centimeters 7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown inches X 2.54 = centimeters 8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown	13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify): (99) Unknown
9. Pedestrian's Height - Ground to Shoulder Code to the nearest centimeter. (999) Unknown inches X 2.54 = centimeters	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

15. Pedestrian's First Avoidance Actions (00) No avoidance actions (01) Stopped (02) Accelerated pace (03) Ran away (along vehicle path) (04) Jumped (05) Turned toward vehicle (06) Turned away from vehicle (07) Dove or fell away Used hand(s) to: (11) Vault corner of vehicle (12) Vault onto vehicle (13) Brace against vehicle (14) Crouched and braced hands against vehicle (98) Other (specify): (99) Unknown	18. Pedestrian's Arm Orientation at Initial Impact (01) At sides (02) Folded across chest (03) Hands clasped behind back (04) Hands on hips (05) Hands in pockets One or both arms: (06) Extended upward (07) Extended to side (08) Extended forward bracing (09) Extended, holding object (briefcase, suitcase, etc.) (10) Holding object (young child, grocery bag, etc.) in arm(s) (11) Holding object (young child, grocery bag, etc.) on shoulder(s) or head (98) Other (specify): (99) Unknown
16. Pedestrian's Head Orientation at Initial Impact (1) To front (2) To left (3) 'To right (4) Up (5) Down (8) Other (specify):	19. Pedestrian's Leg Orientation at Initial Impact (01) Together (02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward (05) Apart- forward leg unknown (06) Left foot off the ground (07) Right foot off the ground (08) Both feet off the ground (98) Other (specify): (99) Unknown 20. Vehicle/Pedestrian's Interaction (01) Carried by vehicle, wrapped position (02) Carried by vehicle, slid to windshield (03) Carried by vehicle, position unknown (04) Passed over vehicle top (05) Thrown straight forward (06) Thrown forward and left of vehicle (07) Thrown forward and right of vehicle (08) Knocked to pavement, forward (09) Knocked to pavement, right of vehicle (10) Knocked to pavement, run over or dragged by vehicle (11) Knocked to left (corner impacts only) (13) Shunted to left (corner impacts only) (14) Bumped or pushed aside (15) Snagged, dragged by vehicle (17) Foot or legs run over (98) Other (specify): (99) Unknown

OFFICIAL RECORDS		INJURY CONSEQUENCES
21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown	0	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown (6) Died prior to accident
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	6	26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Source: PAR		Nonfatal (3) Hospitalization (4) Transported and released
 23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown 	0	(5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	0	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STOP - VARIABLES 30 THROUGH 37 AF	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility.	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death 36. 3rd Medically Reported Cause of Death Code the Pedestrian Injury from line
(97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units):	number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify):
(9) Unknown if blood given 32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported, HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured	(97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian.
Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	(00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORD	
UPDATE CANDIDATE?	NO[] YES[]

Form Approved O.M.B. No. 2127-0021

National Highway Traffic Safety Administration

PEDESTRIAN INJURY FORM

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Pedestrian Number

0 1

2. Case Number - Stratum

4. Blank


INJURY DATA

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90					Injury				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5.7	6. 8	7. <u>9</u>	8. <u>6 4</u>	<u>,02</u>	10	11. 🖊	12. <u>70 (</u>	O 13,_/	14	15	- 16	-172
2nd	<u>3</u>	198	<u> </u>	21.04	22. <u>0</u> 2		24.2	- _{25.} 700	26	27	282	- _{29.} 2	30
3rd	312	32. <u>5</u>	_ 33. <u>♀</u>	34. <u>0 Z</u>	35. <u>0</u> 2	-36. <u>/</u>	_{37.} <u>O</u>	38. <u>20</u> 2	? _{39.} <u>/</u>	40. <u>/</u>	413	42. <u> </u>	43. /
4th	44.3	45.7	46. <u>9</u>	47. <u>6</u> Z	48. <u>0 2</u>	4 9. <u>/</u>	_{50.} 2	51. <u>770</u>	2 52	53	54.2	- _{55.} <u>2</u>	-56. 2
5th	57.3	58. 7	59.9	60. <u>0</u> 2	_{61.} <u>0</u> 2	-62. <u>/</u>	63. /	64. 770	65. /	66. <u>/</u>	67. <u>2</u>	- 68.2	69.2
6th	70. 3	71.	72.6	73. <u>0</u> 4	74.14	75. 2	76. <u>O</u>	77. 77	/ _{78.} <u>/</u>	79!	80.2	- _{81.} <u>3</u>	82. 3
7th	83	84	85	86	87	88	89	90	91	92	93	94	95
8th	96	97	98	99 1	00	101	102	103	_ 104	105	106	107	108
9th	109	110	111	1121	13	. 114	115	116	_ 117	118	119	120	121
1 Oth	122	123	124	1251	26	127	128	129	_ 130	131	132	133	134

PEDESTRIAN INJURY DATA													
	Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th													
12th													
13th													_
15th													·
16th													
17th													
19th	. .												
20th			——————————————————————————————————————				_			-			
21st	_	_							_	_			
22nd 23rd									 .				_
24th		-					_						_
25th			_										

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



(2) Hospital/medical records other than (4) Large deformation Cracked, fractured, shattered emergency room (e.g., discharge DIRECT/INDIRECT INJURY (5) summary) Direct contact injury (1) Separated from vehicle (6) Indirect contact injury (3) Emergency room records only (including Noncontact injury Noncontact injury associated X-rays or other lab reports) Other specify: (7) Injured, unknown source (4) Private physician, walk-in or emergency Unknown STRIKING PROFILE **DAMAGE DEPTH** Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) (0) Injury not from vehicle contact UNOFFICIAL No residual damage (5) Lay coroner report Surface only damage Rounded (contoured) (6) E.M.S. personnel (3) Crush depth >0 to 2 centimeters Rounded edge (7) Interviewee Crush depth > 2 to 5 centimeters (5) Sharp edge Other (specify): (8) Other source (specify): Crush depth >5 to 10 centimeters Other specify: (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION Spine (02) Cervical (04) Thoracic Abbreviated Injury Scale **Specific Anatomic Structure Body Region** Whole Area (02) Skin - Abrasion (04) Skin - Contusion Minor injury Head Lumbar (2) Moderate injury Face Serious injury (3) (3) Neck Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit numbers beginning with 02 (06) Skin - Laceration Severe injury Thorax (4) (08) Skin - Avulsion (5) Critical injury (5) Abdomen (10) Amputation (20) Burn Maximum (untreatable) Injured, unknown severity Spine (6) Upper Extremity (7) Level of Injury Lower Extremity (30) Crush (8) (40) Degloving (50) Injury - NFS Unspecified Aspect Specific injuries are assigned consecutive two-digit beginning with 02. Right Type of Anatomic Structure Trauma, other than mechanical (1) (2) (3) Left Bilateral Whole Area (02) Length of LOC (04, 06, 08) Level of Consciousness To the extent possible, within the Central Vessels (2) organizational framework of the AlS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as a lesion assigned to any injury NFS as a lesion as a second to a second to the se (5) Anterior (3) Nerves (6)Posterior (4) Organs (includes muscles/ (10) Concussion ligaments) Skeletal (includes joints) (7)Superior (8) Inferior Unknown Head - LOC (9) NFS as to lesion or severity. Whole region Skin **INJURY SOURCE** Wheels / tires FRONT 790 Left front wheel / tire 700 Front bumper 744 B pillar 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify): 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): _ 750 Right side door surface 705 Hood ornament (spring loaded) 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 752 Right side mirror fixed housing 707 Retractable headlight door (Open/Closed) Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 755 Right side glazing rearward of B pillar 802 Oil pan 803 Exhaust system pipe 756 Rear antenna 804 Transmission 757 Rear fender or quarter panel 805 Drive shaft Left Side Components 758 Other right side object 806 Catalytic converter 720 Front fender side surface (specify): 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar 809 Fuel tank **Back Components** 760 Rear (back) bumper 810 Rear suspension 724 B pillar 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface 728 Other pillar 819 Unknown undercarriage component 768 Other back component (specify): (specify): 769 Unknown back component 729 Left side roof rail **Accessories** 820 Air scoop, deflector 730 Left side door surface 821 Cellular or CB radio antenna 731 Left side door handle Top Components 822 Emergency lights or bar 732 Left side mirror fixed housing 770 Hood surface 823 Fog lights 733 Left side folding mirror 771 Hood surface reinforced by under hood 824 Luggage, ski, or bike rack 734 Left side glazing forward of B pillar component 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify):_ 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 774 Wiper blade & mountings 827 Spotlight 737 Rear antenna 775 Windshield glazing 828 Other accessory (specify):_ 738 Other left side object (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground 948 Other object (specify): Right Side Components 779 Rear header 949 Unknown object in environment 780 Hatchback 740 Front fender side surface 781 Rear trunk lid 959 Unknown object on contacting vehicle 741 Front antenna 788 Other top component (specify): _ 997 Noncontact injury source 742 A1 pillar 999 Unknown injury source 743 A2 pillar 789 Unknown top component

INJURY SOURCE CONFIDENCE LEVEL

(2) Probable

(9) Unknown

(3)

Possible

TYPE OF DAMAGE (0) Injury not from vehicle contact

No damage/contact

Scratch (Scuff, Cloth Transfer, Smear)

(1)

(3) Dent

SOURCE OF INJURY DATA

medical records

(1) Futopsy records with or without hospital/

OFFICIAL

OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained?

___ No

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

Yes

unavailable.)

Blood Alcohol Level (mg/dl)

(ing/ui)

BAL = ____

Glasgow Coma Scale Score

gcss = 5

Units of Blood Given

Units = ____


Arterial Blood Gases


Ph = __.__

PO₂ =

PCO, ____


HCO₃






OFFICIAL INJURY DATA -INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

	PEDESTRIAN CRASH DATA STUDY
90	OFFICIAL RECORDS
27 _P	9. Police Reported Travel Speed 9 9 9
0 1	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above
-	(999) Unknown
90	mph X 1.6093 =kmph 10. Speed Limit
13	(999) Unknown 35 mph x 1.6093 = 056 kmph 11. Police Reported Alcohol Presence For Driver
01	(0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown
04	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
	Source: PAR
15 16 17 d Z)	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown
	27 P 0 1 90 13 01 04

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight — Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown 04.025 lbs x .4536 = 1,826 kgs	18. Impact Speed Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source: 16. Vehicle Cargo Weight	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

<i>a</i> 0	
23. Critical Precrash Event <u>& O</u>	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway (92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	(96) Other chical precrash event (specify).
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	(99) Olikilowii
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver 02
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	(O2) Braking (no lockup)
(16) Turning right at intersection	(03) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	(09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
(55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle	(99) Unknown
in lane	
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction)—over left	(0) No driver present
lane line	(1) No avoidance maneuver
(61) From adjacent lane (same direction)—over right	(2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 30
(62) From opposite direction—over left lane line	degrees (4) Skidding laterally—clockwise rotation
(63) From opposite direction—over right lane line	(5) Skidding laterally—counterclockwise rotation
(64) From parking lane	(8) Other vehicle loss-of-control (specify):
(65) From crossing street, turning into same direction	
(66) From crossing street, across path	(9) Precrash stability unknown
(67) From crossing street, turning into opposite	7
direction	26. Precrash Directional Consequences of
(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction	(0) No driver present
(71) From driveway, across path	(1) No avoidance maneuver
(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
(73) From driveway, intended path not known	maneuver was initiated
(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane where avoidance maneuver was initiated
(78) Encroachment by other vehicle—details	(4) Vehicle stayed on roadway, not known if left
unknown	travel lane where avoidance maneuver was
Pedestrian or Pedalcyclist, or Other Nonmotorist	initiated
(80) Pedestrian in roadway	(5) Vehicle departed roadway
(81) Pedestrian approaching roadway	(6) Avoidance maneuver initiated off roadway
(82) Pedestrian—unknown location	(9) Directional consequences unknown

	ENVIRO	NME	ENTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related	0	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify):
20	 (4) Drive, alley access related (5) Other non-interchange (specify): (6) Unknown type of non-interchange (9) Unknown if interchange 	1	(9) Unknown 34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)
26.	 Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown 		Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): (6) Unknown sign (7) Warning sign (not RR crossing)
29.	Number of Travel Lanes (1) One (2) Two (3) Three	<u>3</u>	(8) Miscellaneous/other controls including RR controls (specify): (9) Unknown
	 (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown 		35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown		36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk
	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown		(9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet
	Roadway Surface Type 1) Concrete 2) Bituminous (asphalt) 3) Brick or Block 4) Slag, gravel or stone 5) Dirt 8) Other (specify): 9) Unknown	2	 (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown
,	o, ondiown		

97

90-627

90 Lincoln T.C.

20-30

4240F brok-d

1640m 69" 320 H

f = 0.70

POI to J=RP = 9.8 m = 32 ft

V= N(2)(32)(0,7)(32.2)

V= 37,9 fps = 25,8 mph = 41,6 KPG

41KPh

Administration

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Vehicle Number

2. Case Number - Stratum

VEHICLE IDENTIFICATION

VIN 1LNLM83 F9LY

Model Year 90

Vehicle Model (specify): Town Care

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

Rubberizedor PLAS	Tie
136	cm

Rubber + STEEL

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

0	3	1	cm

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV25 Ground to Head Contact

PEV24 Ground to Top of Windshield

cm

cm

cm

cm

cm

VEHICLE DAMAGE SKETCH

NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: $\underline{726}$ cm

	PEDESTRIAN SIDE CONTACT WORK SHEET	
PEV06	Hood Material	
PEV08	Hood Length	cm
PEV09	Hood Width-Forward Opening	- cm/
PEV10	Hood Width-Midway	cm.
PEV11	Hood Width-Rear Opening	cm
	VERTICAL MEASUREMENTS	-
DE\/26	Ground Clearance	
		cm
	Side Bumper-Bottom Height	cm
	Side Bumper-Top Height Centerline of Wheel	cm
		cm
	Top of Tire	cm
	Top of Wheel Well Opening Bottom of A-Pillar at Windshield	cm
		cm
	Top of A-Pillar at Windshield	cm
FEV34	Top of Side View Mirror	cm
	LATERAL MEASUREMENTS	
PEV35	C _L to A-Pillar at Bottom of Windshield	cm
	C _L to A-Pillar at Top of Windshield	cm
	C _L to Maximum Side View Mirror Protrusion	cm
	WRAP DISTANCES	
	Ground to Side/Top Transition	cm
	Ground to Hood Edge	cm
	Ground to Centerline of Hood (ORIGIN)	cm
DEVAA	Ground to Head Contact	cm

ORIGINAL SPECIFICATIONS

Wheelbase			1	4	inches	X	2.54	=		2	9	8	cm
Overall Length	2	2	0	2	inches	X	2.54	=		5	5	9	CM
Maximum Width				-	inches					_/	9	8	CM
Curb Weight $\underline{\mathcal{O}}$	4	. <u>O</u>	2	5	pounds	Х	. 4536	=	_	. <u>8</u>	2	6	kg
Average Track	0	6	3	0	inches	X	2.54	=			6	0	CM
Front Overhang	0	<u>4</u>	4	0	inches	Х	2.54	=			<u>/</u>	2	cm
Rear Overhang	0	5	7	0	inches	X	2.54	=	: .		4	5	CM
Undeformed End Width					inches					_/	7	4	cm
Engine Size: cyl./displ.	5	0	0	0	СС	X	.001	=			5	0	L
		<u>3</u>	0	5	CID	X	. 0164	=			<u>5</u> .	0	L
	•						-						

Branhan Antomos, le Ref. 1300K

INJURY SOURCE

KEF
FRONT
700 Front bumper
701 Front lower valance/spoiler
702 Front grille
703 Hood edge and/or trim
704 Hood ornament (fixed)
705 Hood ornament (spring loaded)
706 Headlight
707 Retractable headlight door (Open/Closed
708 Turn signal/parking lights
718 Other front or add on object
(specify):
719 Unknown front object
Left Side Components
720 Front fender side surface
721 Front antenna
722 A1 pillar
723 A2 pillar
724 B pillar
725 C pillar
726 D pillar
728 Other pillar
(specify):
729 Left side roof rail
730 Left side door surface
731 Left side door handle
732 Left side mirror fixed housing
733 Left side folding mirror
734 Left side glazing forward of B pillar
735 Left side glazing rearward of B pillar
736 Left side back fender or quarter panel
737 Rear antenna
700 04 14 17 11

(specify):
739 Unknown left side component
Right Side Components
740 Front fender side surface
741 Front antenna
742 A1 pillar

738 Other left side object

743 A2 pillar

744 B pillar	
745 C pillar	
746 D pillar	
748 Other pillar (specify):	
749 Right side roof rail	
750 Right side door surface	
751 Right side door handle	
752 Right side mirror fixed housing	
753 Right side folding mirror	
754 Right side glazing forward of B pillar	
755 Right side glazing rearward of B pillar	
756 Rear antenna	
757 Rear fender or quarter panel	
758 Other right side object	
(specify):	
759 Unknown right side component	
Back Components	
760 Rear (back) bumper	
761 Tailgate	
762 Hatchback, vertical surface	
768 Other back component	
(specify):	
769 Unknown back component	
Top Components	
770 Hood surface	
771 Hood surface reinforced by under hood	
component	
772 Front fender top surface	
773 Cowl area	
774 Wiper blade & mountings	
775 Windshield glazing	
776 Front header	
777 Roof surface	
778 Backlight glazing	
779 Rear header	
780 Hatchback	
781 Rear trunk lid	

788 Other top component (specify): _


789 Unknown top component

Wheels / tires
790 Left front wheel / tire
791 Right front wheel / tire
792 Left rear wheel / tire
793 Right rear wheel /tire
798 Other wheel / tire (specify):
799 Unknown wheel / tire
755 Onknown wheel / tire
Undercarriage components
800 Front cross member
801 Steering assembly/Front suspension
802 Oil pan
803 Exhaust system pipe
804 Transmission
805 Drive shaft
806 Catalytic converter
807 Muffler
808 Floor pan
809 Fuel tank
810 Rear suspension
818 Other undercarriage component
(specify):
819 Unknown undercarriage component
Accessories
820 Air scoop, deflector
821 Cellular or CB radio antenna
822 Emergency lights or bar
823 Fog lights
824 Luggage, ski, or bike rack
825 Cargo (specify):
826 Spare tire
827 Spotlight
828 Other accessory (specify):
and a state of the
Other Object or Vehicle in Environment
947 Ground
948 Other object (specify):
949 Unknown object in environment
959 Unknown object on contacting vehicle

997 Noncontact injury source

999 Unknown injury source

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: 176 cm

				POINTS	OF PEDEST	RIAN CONTA	ACT		
						CT WORKSH			
-	CONTACT ID LABEL	COMPONENT	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN Centimeters	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	SEQUENCE #
+	D	Bringer	+127	-49	0	Legs	Someon. France Print	1 3 9	1
	E	1 find	<i>+46</i>	-74	0	Chest	American American	Ø2 3 3	2
	D	Hook	445	-35	0	Shoes	Black	1 2 3 9	ン
	A	Hook	749	- /2	0	Auses	Strenge	D2 3 1	2
	H	Rear	+10	-56	1cm	ann	dent	<u>(1)</u> 2 3 9	2
f	AI	The state of the s	-49	-30	Icm	heed	Shuttond	0211	3
7	G	Shield	-84	-30	0	Ellion	Small	Ø2 3 9	<u>3</u>
	5	1 Foot	-09	_ 58	0	arms	Smilges	D 2 3 9	4
		4.1			-/-			1 2 3 9	
*	- 7	// (casus	eme	000	~~~	e take		
	-	this +		7	مد ،	len	0.4	1 2 3 9	
	<u> A</u>	nus j	reflex	ma	-n 4	-0.4		1 2 3 9	
						Sec.		1 2 3 9	
								1 2 3 9	
								1 2 3 9	
								1 2 3 9	
								1 2 3 9	
						•		1 2 3 9	
								1 2 3 9	
								1 2 3 9	
								1 2 3 9	
								1 2 3 9	
								1 2 3 9	
L								1 2 3 9	

POINTS OF PEDESTRIAN CONTACT							
CHRONOLOGICAL ORDER OF CONTACTS							
CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)
10	700	127	-60	0	R. leh	sentf	① 2 3 9
2		127	-49	Э	Lives	put dynamics	D211
3	203	91	-50	0	abdømen	4 (1	① 2 3 9
· D	770	+45	-35	0	R. clbou	Scuffs	O233
5 🔊	770	7.	?	0	Lielbow	?	1 ② 3 9
·6	775	-84	- 30	Ø	Head	creched	6233
7							1 2 3 9
8							1 2 3 8
9							1 2 3 9
10							1 2 3 9
11							1 2 3 9
12							1 2 3 9
13							1 2 3 9
14							1 2 3 9
15							1 2 3 9
16							1 2 3 8
17							1 2 3 9
18							1 2 3 9
19		1					1 2 3 9
20							1 2 3 9
21							1 2 3 9
22							1 2 3 9
23							1 2 3 9
24							1 2 3 9
25							1 2 3 9

4. Original Wheelbase Code to the nearest centimeter (999) Unknown L I 7.3 inches X 2.54 = 29	Crush Fromsidual crush ers)
1 1 1 3 inches x 2.54 = 29 f centimeters 5. Original Average Track Width	Crush Fromsidual crush ers)
Code to the nearest centimeter (185) 185 centimeters or more (186) 180 centimeters or more (186	sidual crush ers)
(1) Plastic (2) Fiberglass (3) Steel (4) Aluminum (5) Stainless Steel (8) Other (specify):	
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown Code to the nearest centimeter (180) 180 centimeters or more (180) 180 centimeters or m	naged destrian - not pedestrian -
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown Code to the nearest centimeter 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber	
9. Hood Width Forward Opening / 5 6 (9) Unknown	<u>3</u>
Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown Obl. Linches X 2.54 = 156 centimeters 15. Front Bumper Reinforcement Materia (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown	1
10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown	

17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown Old Dinches X 2.54 = 049 centimeters 18. Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown Old Dinches X 2.54 = 078 centimeters 19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown Old Dinches X 2.54 = 073 centimeters	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown QQQ . Q inches X 2.54 = 23 centimeters 24. Ground to Top of Windshield Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown QQQ . S inches X 2.54 = 307 centimeters 25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown QQ . S inches X 2.54 = 260 centimeters
F 334 50 34	SIDE CONTACT DAMAGE
Front Wrap Distance Weasurements	SIDE CONTACT DAMAGE
	Side Vertical Measurements
20. Ground to Forward Hood Opening D 9 6 Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown D 37 . 1 inches X 2.54 = D 9 6 centimeters 21. Ground to Front/Top Transition Point D 8 5	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters
Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown 037.1 inches x 2.54 = 096 centimeters	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown

29. Centerline of Wheel	000	Side Lateral Measureme	ents
Code to the	<u> </u>		***************************************
nearest centimeter		35. Centerline to A-Pillar	000
(000) No side contact (150) 150 centimeters or more		at Bottom of Windshield	
(150) 150 centimeters or more (999) Unknown		(000) No side contact	
(333) Olikilowii		Code to the	
inches X 2.54 =	centimeters	nearest centimeter	•
		(250) 250 centimeters or more (999) Unknown	
·	222	(999) Unknown	
30. Top of Tire	000	inches X 2.54 =	centimeters
Code to the nearest centimeter			
(000) No side contact			~ ~ ~
(200) 200 centimeters or more		36. Centerline to A-Pillar	<u> </u>
(999) Unknown		at Top of Windshield	
	÷	Code to the	
inches X 2.54 =	centimeters	(000) No side contact	
		(250) 250 centimeters or more	
31. Top of Wheel Well Opening	000	(999) Unknown	
Code to the			
nearest centimeter		inches X 2.54 =	centimeter
(000) No side contact			
(250) 250 centimeters or more		37. Centerline to Maximum Side	000
(999) Unknown		View Mirror Protrusion	<u> </u>
inches X 2.54 =	contimeters	Code to the	
Biolios A 2.07 ··		nearest centimeter	•
32. Bottom of A-Pillar at Windshield	000	(000) No side contact	
Code to the		(300) 300 centimeters or more (999) Unknown	
nearest centimeter		(353) Olikilowii	
(000) No side contact (250) 250 centimeters or more		inches X 2.54 =	centimeter
(999) Unknown			
		Side Wrap Distance Measur	cmonte
inches X 2.54 =	centimeters		SHIP THE PARTY NAMED IN COLUMN
	· · · · · · · · · · · · · · · · · · ·		^ ^ ^
33. Top of A-Pillar at Windshield	000	38. Ground to Side/Top Transition	$\underline{\mathcal{U}}\underline{\mathcal{U}}\underline{\mathcal{U}}$
Code to the	<u>UUU</u>	Code to the	
nearest centimeter	1	nearest centimeter (000) No side contact	
(000) No side contact	1	(400) 400 centimeters or more	
(300) 300 centimeters or more		(999) Unknown	
(999) Unknown			
inches X 2.54 =	contimeters	inches X 2.54 =	centimeters
	_ centimeters		
	^ ^ ^	39. Ground to Hood Edge	000
34. Top of Side View Mirror	000	Code to the	
Code to the		nearest centimeter	
nearest centimeter		(000) No side contact	
(()()) No cido contact	,	(500) 500 centimeters or more	
(000) No side contact (300) 300 centimeters or more		'228 II I	
(300) No side contact (300) 300 centimeters or more (999) Unknown		(999) Unknown	
(300) 300 centimeters or more (999) Unknown			centimeters
(300) 300 centimeters or more	_ centimeters	(999) Unknown inches X 2.54 =	centimeters
(300) 300 centimeters or more (999) Unknown	_ centimeters		centimeters

40.	Ground to Centerline of Hood Code to the nearest centimeter (000) No side contact (700) 700 centimeters or more (999) Unknown	000	
	inches X 2.54 =	centimeters	
41.	Ground to Head Contact Code to the nearest centimeter (000) No side contact (800) 800 centimeters or more (998) No head contact (999) Unknown	000	
	inches X 2.54 =		
	inches X 2.54 =	centimeters	



90627P00000011 99710.0000000000116250100001 97 9700000000 00000000000000 01 90627P00010012(9710.010000000000105F72000 10.0 0000000001611745009214214513014003407040209600241009715 90627P00010021 1010000000006 10.0 00000000078904021170011222 90627P00010131 90627P00010231 10.0 00000000038904021270011222 90627P00010331 10.0 00000000035902021070311311 90627P00010431 10.0 00000000037902021277011222 90627P00010531 10.0 00000000037902021177011222 90627P00010631 10.0 00000000031604142077111233 90627P01000041 10.0 000000009013001041LNLMB3F9LY

11110180022201311210011

PEDESTRIAN ASSESSMENT Occupant: 1

INTRA ERRORS

HH0071 2 Given OVERALL HEIGHT PASO6 and PEDESTRIAN SEX PASO5, HH0072 PEDESTRIAN WEIGHT PASI0 is questionable. See Table A2.

PSU90

CASE 627P

CURRENT VERSION: 10.0

ERROR SUMMARY SCREEN PEDESTRIAN STUDY

/97

	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	o	o	o	Υ
Pedestrian Assessment	0	• 0	1	Ý
Pedestrian Injury	O	0	ō	Ÿ
Pedestrian General Vehicle	● O	Ó	Ö	Ý
Pedestrian Exterior Vehic	le O	Ó	ō	Ý
Total Inter Errors		o	0	
Total Case Errors	o	o	1	